

NOVENARY

Catalog 24/25





OUR PRODUCT CATEGORIES



Business Type



Cooking Appliances



Ventilation



Pizza & Grill



Stainless Steel Furniture



Refrigeration



Combi Steamer



Kitchen Appliances



Heat retention



Rinsing & Cleaning



Retail Refrigeration



Café & Ice Cream



Kitchenware



Table Setting

Alongside our excellent advice and premium quality, what sets us apart is our variety of catering equipment. Whatever you require, we can deliver at the best price!

So you have the opportunity to buy everything from one supplier. This means better conditions, quicker delivery and perfectly adapted products to meet your needs.

COOKING EQUIPMENT



- Electric deep fryer
- Electric griddle
- Gas stove
- Electric stove
- Chip heating
- Neutral element-with drawer
- Gas lava rock grill
- Bain marie
- Substructure
- Electric griddle
- Industrial toaster
- 9 slice toaster
- Waffle maker
- Cone maker
- Salamander
- Toaster
- Fryer
- Automatic donut machine
- Tree striezels machine
- Takoyaki machine
- Egg tart machine
- Pasta cooker
- Induction series
- China wok for open kitchen
- Gas cooker
- Microwave oven
- Pizza oven
- Steam oven
- Speed oven
- Hot air circulating electric oven
- Slice toaster
- eggs & knives sterilizer
- Egg boiler
- Rice cooker
- Crepes device
- Sous vide
- Sous vide cooker
- Bain marie thermal trolley
- Bain marie
- Electric hamburger machines
- Hot dog grill
- Hot dog maker
- Hot dog display case
- Cotton candy machine
- Popcorn machine
- Trolley for popcorn machine
- Chocolate fountain
- Hot chocolate dispenser
- Chocolate melting machine
- Chip warmer
- Cheese warmer
- Stainless steel sauce dispenser
- Sausage warmer
- Thermal bridge
- Fries warmers
- Heat retaining plate
- Cooling plate for gn pan
- Stainless steel food warmer
- Heat lamp
- Heated display case
- Food steam showcase
- Plate warmer
- Cup warmer
- Food dehydrator
- Banquet trolley
- Top bain marie with glass lid
- Bain marie hotpot
- Chafing dish
- Soup warmer
- Soup kettle
- Coffee percolator
- Water boiler
- Coffee machine
- Coffee station
- Hot drinks dispenser
- Warming plate
- Glass icer with led lighting
- Smoker house



COOKING

ELECTRIC DEEP FRYER

- Good quality heater, quick temperature rising, and energy-efficient
- HL+SB stainless steel, delicate in appearance
- EGO thermostat. Intelligent temperature control of high precision to make sure the food taste
- Stainless steel and nickel-plated fryer basket is good enough for frying food
- Temperature limiter can make the fryer safe when the thermostat out of control



EFFK600-E
EFFK700-E

EFFK773



EFK46-EN
EFK400-EN



EFK66-EN
EFK800-EN



EFK473H-10N



EFK873H-10+10N

600 series

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFK46-EN	400x600x420	10	380-415/50	9000	50~190	288
EFK66-EN	600x600x420	10x2	380-415/50	18000	50~190	204
EFFK600-E	600x630x420	23	380-415/50	15000	30~190	200

700 series

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFK400-EN	400x700x420	10	380-415/50	9000	50~190	248
EFK800-EN	800x700x420	10x2	380-415/50	18000	50~190	112
EFK473H-10N	400x700x420	10	380-415/50	9000	50~190	248
EFK873H-10+10N	800x700x420	10x2	380-415/50	18000	50~190	112
EFFK700-E	700x700x420	23	380-415/50	15000	30~190	221
EFFK773	700x700x420	23	380-415/50	15000	30~190	221

ELECTRIC GRIDDLE

- Extra-thick griddle, smooth surface, without welding spot, even heat transmission.
- HL+SB stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.
- The drop pan like the drawing, it is easy to take out.



EBK46-E



EBGK46-E



EBK66-E



EBGK66-E

600 series

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EBK46-E	400x600x420	380-415/50	4500	50~300	288
EBGK46-E	400x600x420	380-415/50	4500	50~300	288
EBK66-E	600x600x420	380-415/50	9000	50~300	204
EBGK66-E	600x600x420	380-415/50	9000	50~300	204



EBK400-E



EBGK400-E



EBK800-E



EBGK800-E



EGK473M



EGK473MG



EGK873M



EGK873MGG

700 series

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EBK400-E	400x700x425	380-415/50	3600	50~300	248
EBGK400-E	400x700x425	380-415/50	3600	50~300	248
EBK800-E	800x700x425	380-415/50	7100	50~300	112
EBGK800-E	800x700x425	380-415/50	7100	50~300	112
EGK473M	400x700x425	380-415/50	3600	50~300	248
EGK473MG	400x700x425	380-415/50	3600	50~300	248
EGK873M	800x700x425	380-415/50	7100	50~300	112
EGK873MGG	800x700x425	380-415/50	7100	50~300	112

GAS STOVE

- High quality burner, more energy-efficient.
- It features convenient installation, safe use.
- HL+SB stainless steel, delicate in appearance.
- Special design of the grate, high temperature resistance.



GHK46-E



GHK66-E



GHK126-E

600 series

Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Power (W)	Gas Type	Burner Qty	40 HQ Container loading
GHK46-E	400x600x420	Gas Power	6800	NG	2	288
GHK66-E	600x600x420	Gas Power	1360	NG	4	204
GHK126-E	1200x600x420	Gas Power	2040	NG	6	104

COOKING EQUIPMENT

GAS STOVE



700 series

Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Power (W)	Gas Type	Burner Qty	40 HQ Container loading
GHK400-E	400x700x420	Gas Power	11000	NG	2	248
GHK800-E	800x700x420	Gas Power	25000	NG	4	112
GHK1200-E	1200x700x420	Gas Power	39000	NG	6	92
GHK473M	400x700x420	Gas Power	11000	NG	2	248
GHK873M	800x700x420	Gas Power	25000	NG	4	112
GHK173M	1200x700x420	Gas Power	39000	NG	6	92

ELECTRIC STOVE

- HL+SB stainless steel ,delicate in appearance.
- EGO hot plate,even heat transmission,more durable.
- Three-way switch,every hot plate is controlled independently.
- Hi-limit to make sure safe use.



600 series

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHK46-E	400x600x420	380-415/50	4000	50~400	288
EHK66-E	600x600x420	380-415/50	8000	50~400	204

700 series

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHK400-E	400x700x425	380-415/50	4600	50~400	248
EHK800-E	800x700x425	380-415/50	9200	50~400	112
EHK473E	400x700x425	380-415/50	4600	50~400	248
EHK873E	800x700x425	380-415/50	9200	50~400	112

CHIP HEATING

- Produced in line with the hygiene and safety directives.
- Meets CE standards
- Can be combined with products in the "Mario 700" range
- Top and bottom heat freely adjustable.
- Easy handling, easy to clean.



FWK46-E



FWK400-EN



WK473

600 series

Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
FWK46-E	400x600x540	1/1 GN Pan	220-240/50	1170	30~110	216

700 series

Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
FWK400-EN	400x700x540	1/1 GN Pan	220-240/50	1170	30~110	186
WK473	400x700x540	1/1 GN Pan	220-240/50	1170	30~110	186

NEUTRAL ELEMENT-WITH DRAWER

- HL+SB stainless steel ,delicate in appearance.
- It can be used alone,or tied with 700 series cooking range.



NEK46-E
NEK400-E



NK473S

600 series

Model	Product Dim (W/D/H mm)	40 HQ Container loading
NEK46-E	400x600x420	288

700 series

Model	Product Dim (W/D/H mm)	40 HQ Container loading
NK473S	400x700x420	248
NEK400-E	400x700x420	248



COOKING

GAS LAVA ROCK GRILL

- Quick temperature rising, and heating evenly.
- Intelligent temperature control of high precision to make sure the foods taste. Detachable grate, easy to clean.
- Increase the drop pan, easy to clean.
- HL+SB stainless steel, delicate in appearance.



GLGK400-E



GLGK800-E



GLK473C



GLK873C



GLGK46-E



GLGK66-E

600 series

Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Power (W)	Gas Type	Burner Qty	40 HQ Container loading
GLGK46-E	400x600x420	Gas power	5300	NG	1	288
GLGK66-E	600x600x420	Gas power	10600	NG	2	204

700 series

Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Power (W)	Gas Type	Burner Qty	40 HQ Container loading
GLGK400-E	400x700x420	Gas power	7000	NG	1	248
GLGK800-E	800x700x420	Gas power	14000	NG	2	112
GLK473C	400x700x420	Gas power	7000	NG	1	248
GLK873C	800x700x420	Gas power	14000	NG	2	112

BAIN MARIE

- Good quality heater, quick temperature rising, and heating evenly.
- HL+SB stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.



BMK46-E
BMK400-E



BMK66-E
BMK800-E



EBK473C



EBK873C

600 series

Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
BMK46-E	400x600x420	1xGN1/1 or 3xGN1/3	220-240/50	1200	30~85	288
BMK66-E	600x600x420	1xGN1/1 or 3xGN1/3	220-240/50	1200	30~85	204

700 series

Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
BMK400-E	400x700x425	1xGN1/1 or 2xGN1/2	220-240/50	1200	30~85	248
BMK800-E	800x700x425	2xGN1/1 or 4xGN1/2	220-240/50	2400	30~85	112
EBK473C	400x700x425	1xGN1/1 or 2xGN1/2	220-240/50	1200	30~85	248
EBK873C	800x700x425	2xGN1/1 or 4xGN1/2	220-240/50	2400	30~85	112

SUBSTRUCTURE



GK466T



GK866T



GK126T



GK166T



UBK400-E
UBK46-E



UBK800-E
UBK66-E



UBK1200-E
UBK126-E



UBK1600-E
UBK166-E

- Can be combined with products in the 700 series range.
- Highest standard of workmanship
- Material is wash-resistant and can withstand alkali solutions.
- Adjustable stainless steel feet (to 50 mm height-adjustable).



SS2K466



SS2K466-E

Model	Product Dim (W/D/H mm)	Door Qty	40 HQ Container loading
GK466T	400x660x587	1	390
GK866T	800x660x587	2	210
GK126T	1200x660x587	3	130
GK166T	1600x660x587	4	120
UBK400-E	400x660x587	1	390
UBK800-E	800x660x587	2	210
UBK1200-E	1200x660x587	3	130
UBK1600-E	1600x660x587	4	120
UBK46-E	400x560x587	1	475
UBK66-E	600x560x587	2	266
UBK126-E	1200x560x587	3	140
UBK166-E	1600x560x587	4	135
SS2K466	400x660x587	/	390
SS2K466-E	400x660x587	/	390

COOKING

ELECTRIC GRIDDLE



EGKB353



- Extra-thick griddle, smooth surface, without welding spot, even heat transmission.
- Good quality stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.
- The drop pan like the drawing, it is easy to take out.

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EGKB353	260x500x270	220-240/50	1600	50~300	720



EGK55



EGK75

- Extra-thick griddle, smooth surface, without welding spot, even heat transmission.
- Good quality stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.
- Flat plate, including power regulator, Grease capture drawer, Easy to clean

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EGK55	550x450x230	220-240/50	3000	50~300	480
EGK75	730x500x230	220-240/50	4300	50~300	360

INDUSTRIAL TOASTER

- Contact grill
- Grill plates top & bottom, grooved
- Perfectly suited to professional use
- Adjustable thermostat
- Timer function
- Temperature: From 50°C to 300°C
- Operating light(s)
- Highly space-saving
- Easy to clean



DKGJ432



DKGJ322



DKGJ542

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
DKGJ432	310x410x210	220-240/50	1800	50~300	672
DKGJ322	435x410x210	220-240/50	2200	50~300	672
DKGJ542	570x410x210	220-240/50	1800+1800	50~300	336

- Contact grill
- Grill plates top & bottom, grooved
- Panini dimensions
- Temperature: 50 °C to 300 °C
- Perfectly suited to professional use
- Heat-resistant handle
- Perfect ergonomic formation
- Adjustable thermostat
- On/off switch
- Operation control lights
- Highly space-saving
- Easy to clean
- Cast iron grill area with enamelled surface
- Grooved surface



KGJ432



KGJ442



KGJ542

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
KGJ432	310x410x210	230/50	1800	50~300	672
KGJ442	435x410x210	230/50	2200	50~300	672
KGJ542	570x410x210	230/50	1800+1800	50~300	336

- Plastic handle to make sure chef safe use.
- EGO thermostat, Temperature: From 50°C to 300°C.
- Intelligent temperature control of high precision.
- Highly space-saving.
- All sides are grilled simultaneously.
- Convenient installation, safe use, even heat transmission, waterproof, damp proof, long life and substantial price.



KGKB100



KGKB200



KGKB300

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
KGKB100	310x310x200	220-240/50	2200	50~300	1200
KGKB200	430x310x200	220-240/50	2800	50~300	960
KGKB300	570x310x200	220-240/50	4400	50~300	630

9 SLICE TOASTER

- Contact grill
- Grill smooth at top & bottom
- Perfectly suited to professional use
- Adjustable thermostat
- Operating light(s)
- Highly space-saving
- Body made of premium stainless steel
- Flat surface
- Cast iron grill area
- All sides are grilled simultaneously



KGJ12

KGJ13

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
KGJ12	355x490x280	230/50	2200	50~300	588
KGJ13	355x490x280	230/50	2200	50~300	588

COOKING

9 SLICE TOASTER



KGGEJ432



KGGLJ432

- Top & bottom, grooved
- Perfectly suited to professional use
- Heat-resistant handle
- Perfect ergonomic formation
- Very simple manual operation
- Operation control lights
- Cast Aluminum grill area
- Housing made of stainless steel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
KGGEJ432	355x490x250	230/50	2200	50~300	672
KGGLJ432	355x490x250	230/50	2200	50~300	672

- Good quality heater, quick temperature rising, and heating evenly.
- HL+SB stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.



WEKB-BE



WEKB-BD



WEKB-E



WEKB100



WEKB200

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
WEKB-BE	450x350x300	220-240/50	2000	50~300	630
WEKB-BD	850x350x300	220-240/50	4000	50~300	360
WEKB-E	450x350x300	220-240/50	2000	50~300	630
WEKB100	280x400x290	220-240/50	1200	50~300	775
WEKB200	560x400x290	220-240/50	2400	50~300	500

WAFFLE MAKER

- Outstanding for professional use
- Premium quality
- Waffle diameter: 18 cm
- Operation control lights
- Durable device
- Simple operation
- Fast and efficient heat distribution



WEJ180



WETJ180



WERJ180



WDJ180

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
WEJ180	250x490x300	230/50	1300	50~300	756
WETJ180	250x490x300	230/50	1300	50~300	756
WERJ180	250x390x260	230/50	1300	50~300	1008
WDJ180	500x390x260	230/50	1300+1300	50~300	672

WAFFLE MAKER

- Double waffle iron
- Outstanding for professional use
- 2 baking sheet, heart-shaped
- Premium quality
- For 2 waffles

- On / off switch
- Operation control lights
- Durable device
- Simple operation



MELJ322N

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
MELJ322N	500x390x260	230/50	1300+1300	50 ~300	588

- Outstanding for professional use
- Premium quality
- Operation control lights
- Durable device
- Simple operation
- Fast and efficient heat distribution



WAEHJ1



WAEEJ1



WAEBJ1



WAEBJ2

- Outstanding for professional use
- Premium quality
- Operation control lights
- Durable device
- Simple operation
- Easy to clean
- Fast and efficient heat distribution (Heating up and down)
- The baking pan is made of iron, the surface is treated with enamel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
WAEHJ1	250x390x260	230/50	1.3	50~300	1008
WAEEJ1	310x400x230	230/50	1.75	50~300	882
WAEBJ1	310x400x240	230/50	2	50~300	1064
WAEBJ2	590x400x240	230/50	2+2	50~300	560

CONE MAKER

- Outstanding for professional use
- Premium quality
- Ice cream skin diameter:210mm
- Operation control lights
- Durable device
- Simple operation
- Easy to clean
- Fast and efficient heat distribution, The baking pan is made of aluminum, and the surface is treated with Teflon non-stick layer



WAEEHJ1



WAEEHJ2

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
WAEEHJ1	250x390x260	230/50	1300	50~300	1008
WAEEHJ2	500x390x260	230/50	1300+1300	50~300	672

COOKING

SALAMANDER

- Quick temperature rising, and heating evenly.
- Convenient installation, safe use.
- High quality stainless steel handle to make sure safe use.
- Body made of premium stainless steel.



SKB80



SKB58

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SKB80	800x450x470	220-240/50	3600	30~250	325
SKB58	580x390x390	220-240/50	2200	30~250	360



SMK55



SMK65

- Uniform heating machine spring system
- With adjustable Top
- Stainless steel baking net
- EGO Proportions
- Bakelite handle high temperature resistance
- Aluminum plated back cover



SMK64E1

- Efficient heat
- With 15Min timer
- EGO Proportions
- Stainless steel baking net

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SMK55	450x510x525	220-240/50-60	2800	50~300	328
SMK65	600x510x525	220-240/50-60	4000	50~300	240
SMK64E1	610x340x280	220-240/50-60	2000	50~300	680

- Quartz Tube
- With 15Min Timer
- Efficient cooking time and uniform heat distribution



SMK1700



SMK3000

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SMK1700	440x300x290	230/50	1700	≤238	720
SMK3000	440x300x400	230/50	3000	95≤Upper, Unders143	480



SMJ30



SMJ30D



SMJ64

- Essential for buffets and catering
- Separately adjustable thermostats
- Operation control lights
- Freely detachable stainless steel shelf
- Compact and space saving
- Simple operation
- Operation control lights
- Housing made of stainless steel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SMJ30	440x300x290	230/50	2400	50~300	882
SMJ30D	440x300x405	230/50	3600	50~300	630
SMJ64	485x350x300	230/50	2000	50~300	882

SALAMANDE R

- Made by S/S
- Element can be vertically moved for different cooking models
- Removable grid and drip tray for easy cleaning
- Table mounted or wall mounted type available



SMH45



SMH65

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SMH45	450X491X507	220-240/50,60	2800	<240	328
SMH65	650X503X507	220-240/50,60	4600	<240	228

TOASTE R

- Essential for buffets and catering
- Two separately adjustable thermostats
- Operation control lights
- On/off switch
- 2 Heating zones
- Compact and space saving
- Simple operation
- Easy to clean
- Housing made of stainless steel



TJ535



TJ543

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
TJ535	350x510x350	220-240/ 50,60	1300	50 ~300	520
TJ543	430x510x350	220-240/ 50,60	2200	50~300	440

- Adjustable conveyor speed.
- Easy to clean, simple operation.
- Black plastic foot to make the products have exquisite appearance. Good quality heater, quick temperature rising, and heating evenly.



DTKB200



DTKB300

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
DTKB200	368x418x400	220-240/50	2300	30~300	750
DTKB300	468x418x400	220-240/50	2600	30~300	600

COOKING

FRYER-WITH DRAIN COCK

- Good quality heater, quick temperature rising, and heating evenly.
- Good quality stainless steel, delicate in appearance.
- Angelopo thermostat. Intelligent temperature control of high precision. Production is long-lasting and good healthy for chef.



EFK653-8



EFK653-8+8

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFK653-8	360x650x (330+80)	12-14	380-400/ 50,60	4500	30~190	500
EFK653-8+8	600x650x (330+80)	(12-14)x2	380-400/ 50,60	4500x2	30~190	300

ELECTRIC FRYER

- Good quality heater, quick temperature rising, and heating evenly.
- Good quality stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.



EFK343-8



EFK344-12

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFK343-8	260x410x370	8	220-240/50,60	3250	30~190	1200
EFK344-12	290x440x410	12	220-240/50,60	2800	30~190	875

- Good quality heater, quick temperature rising, and heating evenly.
- Good quality stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.



EFK643-8+8



EFK644-12+12

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFK643-8+8	550x410x370	8x2	220-240/50,60	3250x2	30~190	600
EFK644-12+12	580x440x410	12x2	220-240/50,60	2800x2	30~190	400

- Good quality heater, quick temperature rising, and heating evenly.
- Good quality stainless steel, delicate in appearance.
- EGO thermostat. Intelligent temperature control of high precision.



EFJ-30



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFJ-30	550x470x386	31	400 3N/50,60	5000	50~200	420

ELECTRIC FRYER



- Body made by stainless steel
- anti-corrosion is not rust and easy to clean.
- Safety measures such as anti-scalding handles,
- non-slip feet, and waterproof switches ensure safe use.



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFH4	264x548x306	3.5-4	230/50	2500	≤185	1056
EFH4+4	494x548x306	3.5x2-4x2	230/50	2500x2	≤185	624
EFH8	313x568x386	6-8	230/50	3250	≤185	680
EFH8+8	598x568x386	6x2-8x2	230/50	3250x2	≤185	400

- Optimal heat distribution
- Rubber feet for secure the stability
- Made of premium stainless steel
- Removable lid
- Water drain valve
- Easy to use



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFMH8	638x295x427	8	230/50	3250	≤185	390
EFMH8+8	638x594x427	2x8	230/50	2x3250	≤185	200

INDUCTION DEEP FAT FRYER

- Efficient heat transfer
- Stainless steel housing for easy cleaning
- Overheating Protection
- With adjustable feet
- Temperature rang from 60°C- 190°C



Model	Product Dim (L/W/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IFBZ8	288x478x410	8	220-240/50-60	3500	60~190	456
IFBZ8+8	576x478x410	8+8	220-240/50-60	3500+3500	60~190	152

COOKING

ELECTRIC HIGH-PRESSURE FRYER

- High pressure deep fat fryer
- Manual control panel
- For frying vegetables, fruit, meat and fish
- Frying in a vacuum saves oil and energy
- Maximum temperature: 200 °C
- Per cooking: 4 - 5 whole chickens
- stand-alone unit
- With 1 sink
- Capacity: max. 24 L
- Outstanding for professional use
- Compact and robust construction
- Safety lock
- 4 Roller with parking brakes
- Easy to clean



EHFMY491



EHFMY535

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHFMY491	460x960x1230	24	380 3N/50	12000	<200	90
EHFMY535	380x530x470	16	220-240/50	3000	<200	460

- High pressure deep fat fryer
- Digital control panel
- Automatic oil cleaning system with special filter with oil pump
- Various programmes
- For frying vegetables, fruit, meat and fish
- Frying in a vacuum saves oil and energy
- Maximum temperature: 200 °C
- Per cooking: 4 - 5 whole chickens
- stand-alone unit
- With 1 sink
- Capacity: max. 25 L
- Outstanding for professional use
- Compact and robust construction
- Safety lock
- 4 Roller with parking brakes
- Easy to clean



EHF491



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHF491	460x960x1230	25	380/50	13500	<200	90

- The computer control panel, elegant, easy to operate.
- High efficiency heating elements.
- Shortcuts to save memory function, time constant temperature, easy to use for frying different food
- A cylinder double basket, two baskets were timed respectively
- Comes with oil filter system, not additionally oil filtration vehicle.
- Equipped with thermal insulation, save energy and improve efficiency..



EFY25N

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EFY25N	441x949x1180	25	380/50	14200	<200	106

GAS FRYER

- Three burners or five burners, power is high
- The main spare parts are all imported from USA
- Robertshaw gas valve ,hi-limit and thermostat are good quality
- 4 Adjustable stainless steel feet (to 50 mm height-adjustable)
- Good quality stainless steel to make the appearance looks
- better Big basket can be loaded more food



GFK481-16



GFK591-40

Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Gas Type	Net capacity (L)	Power (W)	temp (°C)	40 HQ Container loading
GFK481-16	394x770x1160	Gas power	NG	16	9000x3	30~190	124
GFK591-40	545x770x1160	Gas power	NG	30	9000x5	30~190	60

AUTOMATIC DONUT



DMANP2



DMANP4


- Professional device
- Excellently suited for use in professional kitchens
- Manufacturable donut sizes: 40-50 mm; 60-70 mm; 80-90 mm
- Body made of premium stainless steel

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
DMANP2	360x965x640	13	220-240/50	3000	60~200	220
DMANP4	525x620x440	4.8	220-240/50	2800	50~200	288

TREE STRIEZEL MACHINE



BSMNP16



- Professional device
- Excellently suited for use in professional kitchens
- Easy to clean
- High quality stainless steel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
BSMNP16	375x760x535	220-240/50	3500	50~300	317

COOKING

TAKOYAKI MACHINE



CPMJ3

- Separately adjustable thermostats
- Aluminum baking tray, Teflon coated
- Simple operation
- Easy to clean
- Housing made of stainless steel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
CPMJ3	675X450X180	230/50	6000	50~300	378

EGG TART MACHINE



TMNP

- Excellently suited for use in professional kitchens
- Machine for baking tarteleTTes
- Machine is supplied without mold
- Fitting baking plates: PLTMNP13, PLTMNP38, PLTMNP36, PLTMNP9, PLTMNP14, PLTMNP12, PLTMNP15
- Digital screen
- Temperature indicator lamp
- fast and efficient heat distribution
- Body made of premium stainless steel
- Surface Teflon coated
- Stands on 4 stainless steel feet

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
TMNP	440x470x465	220-240/50	3200	0~400	432



PLTMNP9



PLTMNP12



PLTMNP13



PLTMNP14



PLTMNP15



PLTMNP36



PLTMNP38

Model	Product Dim (W/D/H mm)	Tartlet top diameter .bottom .height (mm)	Interior&Exterior Material	NW/GW(kg)	40 HQ Container loading
PLTMNP9	380x328x50	Tartlet top:80 bottom:80 height:18	cast aluminium+Teflon	12/13	3909
PLTMNP12	380x328x50	Tartlet top:72x72 bottom:62x62 height:19	cast aluminium+Teflon	12/13	3909
PLTMNP13	380x328x50	Tartlet top :47 bottom :29 height :20	cast aluminium+Teflon	12/13	3909
PLTMNP14	380x328x50	Tartlet top:110x60 bottom:100x48 height:20	cast aluminium+Teflon	10.79/13	3909
PLTMNP15	380x328x50	Tartlet top: 90x26 bottom:85x26 height:19	cast aluminium+Teflon	12/13	3909
PLTMNP36	380x328x50	Tartlet top:37 bottom:37 height:16	cast aluminium+Teflon	12/13	3909
PLTMNP38	380x328x50	Tartlet top:49 bottom:38 height:18	cast aluminium+Teflon	11/13	3909

PASTA COOKER

- Pasta cooker
- Temperature infinitely adjustable
- Operation control lights
- Perfectly suited to professional use
- Easy handling
- Adjustable thermostat
- Simple operation
- Easy to clean



Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
NKJ4	420x580x340	230/50	3000	30~110	504
NKJ6	600x580x350	230/50	3000	30~110	504

INDUCTION COOKER



- Fast cooking
- Fault indicate
- Empty pan & overheat protection
- LED Display
- 5 exhaust fans to drop the internal temperature less than 60 °C
- Full oil sealed circuit board design provides waterproof surface and keep insects out
- Automatic shutdown without any operation after 4 hours (Except timer setting)
- EMC test, aging test, leakage test, high voltage test, mainboard test, total 5 testing
- Oil-proof and corrosion-proof power line

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IDS1	360x380x125	220-240/50-60	3500	<235	1000
IDS2	400x400x125	220-240/50-60	3500	<235	1000
IDS3	375x500x186	220-240/50-60	3500	<235	600
IDS4	335x435x119	220-240/50-60	3500	<235	1000
IDS5	360x460x129	220-240/50-60	3500	<235	1000
IDS6	400x510x240	220-240/50-60	5000	<235	560
IDS7	320x393x119	220-240/50-60	2700	<235	1080
IDS8	375x500x186	220-240/50-60	3500	<235	600
IDS9	400x400x190	220-240/50-60	3500	<235	600

COOKING

INDUCTION STOVE

- Maximum energy saving: The energy is only transferred to the pot/pan and not to the entire surface of the hob or surroundings
- Automatic switch-off: Immediate switch-off as soon as something is removed from the hob
- Fast heat development: Induction hobs heat up placed pots and pans significantly faster than conventional gas and electric hobs



IDBH2



IDBH4



EW050C-H7-D

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IDBH2	400x700x980	380-420/50,60	10000	60~240	96
IDBH4	800x700x980	380-420/50,60	20000	60~240	48
EW050C-H7-D	400x700x980	380-420/50,60	5000	60~240	96

TABLETOP INDUCTION GRIDDLE



IDGB500

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IDGB500	550x530x390	380-420/50,60	5000	80~300	108

INDUCTION GRIDDLE



IDGB400



IDGB800



IDGB800-G

- Fast heating: The grill plate is heated directly by induction, which significantly reduces the heating time of the plate
- Even heat distribution: Thanks to induction, the entire plate is heated directly and thus maintains the desired temperature over the entire surface
- Accurate temperature control compared to conventional griddles that run on gas or electricity

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IDGB400	400x700x980	380-420/50,60	5000	80~300	96
IDGB800	800x700x980	380-420/50,60	5000	80~300	48
IDGB800-G	800x700x980	380-420/50,60	5000	80~300	48

AUTO-LIFTING INDUCTION DEEP FRYER

- Automatic & individually controlled basket lifting - no more burning while frying - baskets are automatically lifted using the timer function.
- Short heating time thanks to surface induction, which creates a heat vortex that evenly distributes the temperature in the frying oil
- Reduction of harmful substances by discharging the frying residues into the cold zone
- Safety device for switching off the power supply with heating elements in vertical position



Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IFLB30	400x700x1010	380-420/50,60	10000	60~190	96

INDUCTION COOKER



- Portable induction hob
- Tabletop unit
- Smooth glass ceramic surface
- Energy-saving
- Temperature and time switch via sensor touch control
- Particularly suitable for canteens, bistros, catering services and buffets
- Touch-pad control panel & manual controls
- Double display
- 2 Hot plate(s), round
- Overheat protection
- Non-slip feet
- Plastic housing

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
IDBZ2	602x360x60	220-240/50-60	3500	60~240	1821

CHINA VOK FOR OPEN KITCHEN

- PG or NG can be used
- Delicate in appearance.
- Quick temperature rising, and energy-efficient.
- Protect valve can make the fryer safe when the thermostat out of control.



Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Gas Type	Power (W)	40 HQ Container loading
MCWK460	Ø460x330	Gas power	PG/NG	10000	532

GAS COOKER

- PG or NG can be used
- Delicate in appearance.
- Quick temperature rising, and energy-efficient.
- Protect valve can make the fryer safe when the thermostat out of control.



Model	Product Dim (W/D/H mm)	Electrical Power or gas power	Gas Type	Power (W)	40 HQ Container loading
GKK1	500x500x510	Gas power	NG	10000	180

COOKING

MICROWAVE OVEN

- Top and bottom heaters ensure faster, even heat delivery to the food, large capacity, pre-set memory, one button for common
- Three power levels and automatic fault diagnosis
- Stainless steel cavity: scratches, water corrosion and heat resistance
- Enhanced design, withstands frequent usage(hundreds of times per day) Smooth internal and external design, easy to clean
- Heating performance, not compromised by large capacity



MWM1718



MWM1721



MWM2510



MWM3410



MWM3414



MDM25-1000
MDM34-2100



MWM2070



MWM2010

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
MWM1718	420x563x340	17	230/50	1800	360
MWM1721	420x563x340	17	230/50	2100	360
MWM2510	511x432x311	25	230/50	1000	504
MDM25-1000	511x432x311	25	230/50	1000	504
MWM3410	553x485x343	34	230/50	1000	360
MWM3414	553x485x343	34	230/50	1400	360
MDM34-2100	574x528x368	34	230/50	2100	360
MWM2070	439x357x258	20	230/50	1050	1336
MWM2010	439x357x258	20	230/50	1050	1336

PIZZA OVEN

- Body made of premium stainless steel
- Fibreglass insulation
- Extremely heat-resistant
- Thermally insulated electric oven
- Interior lighting
- Easy to clean



PEKG20



PEKG20S

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
PEKG20	580x550x280	20	230 /50	2000	50~350	500
PEKG20S	590x570x310	27	230 /50	2000	50~350	324

- Body made of premium stainless steel
- Fibreglass insulation
- Extremely heat-resistant
- Thermally insulated electric oven
- Interior lighting
- Easy to clean



PDKG20



PDKG20S

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
PDKG20	585x550x430	40	230 /50	3000	50~350	288
PDKG20S	590x570x525	54	230 /50	3000	50~350	216

- Body made of premium stainless steel
- Extremely heat-resistant
- Ideal for ready made pizzas
- Heating mode: top & bottom heat
- Analog control
- Timer function up to 15 min
- Removable crumb drawer



MPOFP235



MPOFP135

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
MPOFP235	486x358x360	230 /50	2260	50~300	400
MPOFP135	486x358x217	230 /50	1130	50~300	640

- Fast heating time: 15-20 minutes reaches the optimum operating temperature.
- Various use: compatible for pizzas, baguettes, bread, vegetables, steaks etc.
- Compact and portable design: light weight and easy to carry, perfect for use in the garden, on the balcony or camping
- Short cooking time: bake your pizzas perfectly in a very short time
- Corpus and chamber made from stainless steel



TPOGL4



TPOGL3



TPOHL3



TPOML3

Model	Product Dim (W/D/H mm)	Grill Type	Cooking area(mm)	Power (W)	Temp (°C)	Ignition	40 HQ Container loading
TPOGL4	562x720x370	16 inch Gas Pizza Oven	492x466	7500	500	Piezo ignition	440
TPOGL3	400x646x309	12 inch Gas Pizza Oven	350x305	4650	500	Piezo ignition	880
TPOHL3	400x690x309	12 inch Wood Pellet Pizza Oven	350x305	/	500	Wood pellet	880
TPOML3	400x760x309	12 inch Multi-Fuel Pizza Oven	350x305	4650	500	Piezo ignition /wood pellet	680

COOKING

STEAM OVEN

- Fast and efficient heat distribution
- Speed and convenient cooking
- Applied to baking, vegetable and meat
- Comes with forced air convection to cook evenly and consistently
- Stainless steel interior and exterior for easy cleaning
- Full insulated cabinet and double pane glass door to improve the reliability and efficiency greatly



DBFP21

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
DBFP21	475x510x375	21	230 /50	2100	70~250	400

- Including water tank
- Steam regulator
- Timer function
- Housing made of high quality stainless steel



EHK500

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power(kW)	temp (°C)	40 HQ Container loading
EHK500	550x476x380	230/50	2.5	25~200	285

SPEED OVEN

- Combination oven with impingement hot air and microwave
- Reduces cooking times by up to 80%
- Even, fast tanning
- Ideal for front cooking
- Perfect for quick preparation of snacks
- Variably adjustable fan (10-100%)
- Height-adjustable feet
- 1024 Recipes storable
- Self diagnostic system
- Energy-saving
- Integrated catalyst
- Rapid heating



EHONP17



EHONP10

- Digital control
- Capable of Storing up to 8 recipes
- External air filtration
- Stainless steel rack on top to minimize the risk of utensils dropping
- With S/S lampblack filter, less exhaust and environment pollution
- Aluminium die-cast control panel makes it robust and durable
- Easy clean with S/S internal chamber
- Top-launched hot air impingement, lock up moisture in food
- Bottom radiant heater
- Rapid cooking, combining impingement, microwave, infrared radiance
- Color option available: black

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHONP17	460x675x660	17	230/50	3500	25~280	180
EHONP10	460x600x610	10	230/50	3300	25~280	180

HOT AIR CIRCULATING ELECTRIC OVEN

- Modern design
- Reasonable structure,
- The operation is simple and convenient,
- Fast heating,
- Good insulation.
- The surface of the food is easy to be colored during cooking, the color is beautiful
- It can be used to cook a variety of dishes, suitable for making meat food



Can also make Western-style pastries,

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EHJ300	590x595x570	230/50	2400	300	126

SLICE TOASTER

- Essential for buffets and catering
- On/off switch
- Compact and space-saving
- Housing made of stainless steel



Model	Product Dim (W/D/H mm)	Product Category	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
TOET4	310x270x220	4-slice Toaster	230/50	1800	110	1920
TOET6	410x270x220	6-slice Toaster	230/50	2500	110	1440

EGGS & KNIVES



ESH001-A1



- Ideal for the disinfection of eggs & knives
- UV lamps switch off automatically when the drawer is opened
- Circuit breaker protects from UV radiation
- 30 eggs or 16 knives can be disinfected simultaneously

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power(W)	40 HQ Container Loading
ESH001-A1	471x360x226	"220-240/ 50-60"	55	1350

EGG BOILER



EKF6



EKJ10

- Outstanding for professional use
- Premium quality
- With a boiled egg spoon, can boil liquid eggs
- Operation control lights
- Durable equipment
- Easy to use
- Easy to clean
- Fast and efficient heat distribution

Model	Product Dim (W/D/H mm)	Number of Egg Spoon(pcs)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
EKF6	375x220x290	6	230/50	2200	30~110	1764
EKJ10	380x295x300	10	230/50	2600	30~110	1323

COOKING

RICE COOKER



RKV16



RKF100



RKK100

- Housing made of high quality stainless steel
- Overheating protection
- Excellently suited for use in professional kitchens
- Also suitable for sushi rice

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
RKV16	390x390x350	8	230/50	1950	440
RKF100	455x455x370	5.4	230/50	1950	860
RKK100	548x480x410	8.2	230/50	2500	500

CREPES DEVICE



CGJ40-1



CGJ40-2



CGK40-1



CGK40-2

- Pancake maker
- Quick and easy crepes
- Separately switchable plates
- Manual temperature control
- Temperature 50 - 300 °C
- Operation control lights
- Cast iron plate with teflon coating
- Made of stainless steel

- Quick temperature rising, and heating evenly.
- Convenient installation, safe use.
- High quality stainless steel handle to make sure safe use.
- Body made of premium stainless steel.

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
CGJ40-1	450x485x240	230/50	3000	50~300	588
CGJ40-2	860x485x240	230/50	3000+3000	50~300	294
CGK40-1	450x480x235	220-240/50,60	3000	30~300	800
CGK40-2	860x485 x235	220-240/50,60	6000	30~300	416

SOUS VIDE

- LCD control setting
- Time and power display
- Water circulation system to insure the water temperature be same
- Stainless steel housing and shelf
- Drainage valves with safety locker
- Seamless stretching water tank
- Silicone seal cover



SVGVA16



SVGVA24

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
SVGVA16	360x450x301	16	220-240/50,60	500	30~90	528
SVGVA24	360x623x301	24	220-240/50,60	700	30~90	480

SOUS VIDE COOKER

- Easy to make food with the desired taste, color, tenderness and texture.
- It can fit into any container or pot, very good to make flavorful and high quality food.
- Error indication and low water level alarm and easy removable assembling clamp included.
- Memory function for settings
- Integrated circulation pump for a uniform temperature
- Overheat protection



- With standard level to ensure machine real in waterproof quality
- Use stainless steel for whole+PC material , slim and easy control
- LED lights on the increment,easy cooperation choose temperature from 20°C-90 °C
- All material we use get approval for certification to ensure long lifetime.
- Food cooks in its juices so flavor can't escape.
- This ensures that the food is moist, juicy and tender.

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
SVGFP1500	140x110x332	230 /50	1500	3000
SVGFW15	160x107x397	230/50,60	1200	8880

BAIN MARIE THERMAL TROLLEY

- High quality handle made of corrosion resistant stainless steel
- Double-walled tray for good thermal insulation
- Made of high quality stainless steel
- Water drain cock



TWK1756



TWK1758



TWK1758TD



TWK1760



TWK1760TD

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
TWK1756	560x650x850	26	220-240/50	900	30~90	270
TWK1758	840x650x850	20	220-240/50	1800	30~90	190
TWK1758TD	840x650x850	20x2	220-240/50	1800	30~90	190
TWK1760	1170x650x850	20x3	220-240/50	2700	30~90	135
TWK1760TD	1170x650x850	20x3	220-240/50	2700	30~90	135

COOKING

BAIN MARIE

- Bain marie are obtained CE ,ETL certification
- Body made by stainless steel and easy to clean
- Rubber feet for secure the stability



BMH230



BMY11150A



BMH200

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
BMH230	600x338x243	21	220-240/50, 60	1200	≤95	720
BMH200	600x338x285	5.7	230/50	1200	≤95	720
BMY11150A	590x340x245	19	230/50	1200	≤100	1220

ELECTRIC HAMBURGER MACHINE

- Contact grill
- Grill smooth at top & bottom
- Perfectly suited to professional use
- Specially designed for burger patties
- Adjustable thermostat
- Temperature: From 50°C to 300°C
- Operating light(s)
- Highly space-saving
- Easy to clean
- Body made of premium stainless steel
- Flat surface
- Cast iron grill area
- All sides are grilled simultaneously



HMEJ642

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
HMEJ642	410x660x290	230/50	2200	50~300	252

HOT DOG GRILL

- Table equipment
- Simple operation
- Outstanding for professional use
- Even heat distribution
- Two separately adjustable thermostats
- Heating zones can be adjusted separately
- 2 Heating zones
- 2 Operating control lights
- On/off switch
- Easy to clean



HDGJ5



HDGJ7



HDGJ9



HDGJ11

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
HDGJ5	560x320x200	220-240/50,60	1000	50~200	1120
HDGJ7	560x385x200	220-240/50,60	1400	50~200	920
HDGJ9	560x460x200	220-240/50,60	1800	50~200	800
HDGJ11	560x530x200	220-240/50,60	2200	50~200	800

HOT DOG MAKER

- Glass cylinder height: 245 mm
- Glass cylinder diameter: Ø 200 mm
- Glass cylinder for warming and keeping sausages warm
- Removable cover
- Temperature infinitely adjustable
- Rubber feet for secure stability
- Operation control lights
- Simple operation
- Easy to clean
- Made of premium stainless steel



HDMHN



HDMH4N

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
HDMHN	289x337x400	6.7	230/50	800	≤95	990
HDMH4N	528x337x400	6.7	230/50	1100	≤95	600

HOT DOG DISPLAY CASE

- Simple operation
- Operation control lights
- Adjustable thermostat
- Elegant presentation of goods
- Easy to clean
- Housing made of stainless steel



HDVJ446



Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
HDVJ446	410x435x640	220-240/50,60	1200	110	378

COTTON CANDY MACHINE

- Integrated sugar drawer with 4 separate compartments
- Non-slip feet
- Safety switch
- Adjustable thermostat
- Voltmeter indicates the voltage



ZWJ950



ZWJ950S



ZWJ950E

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
ZWJ950 ZWJ950S ZWJ950E	520x520x485	220-240/50,60	800	50~300	336

- Safety switch
- Adjustable thermostat
- Voltmeter indicates the voltage
- Revolutions per minute: 3100 rpm
- Tub made of high quality stainless steel



ZWET52S



ZWET52

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40i HQ Container loading
ZWET52S/ZWET52	520x520x910	220-240/50,60	1080	230	320

COOKING

POPCORN MACHINE



PMHB55



NWHB55

- Heating tube in the base - keeps the products warm and crispy for a long time
- Even heating of the products thanks to the multi-ring heating tube in the base of the pan

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
PMHB55	423x470x720	220-240/50,60	1305	0~65 0~260	210
NWHB55	423x470x720	220-240/50	305	0~65	210

- Non-stick lined kettle and easy cleaning before cooking
- Built-in warmer light and built-in heating element beneath the deck.
- Keep popcorn fresh and warm for long time
- Kettle detaches for easy clean up
- Flip-up kettle lids allow popcorn to pop out of kettle.
- Machine with tempered Glass .easy clean up and more safety
- Stainless steel fold out tray and removable ,drop the residue very convenient
- Package with contoured foam and master box.More safety during deliver



PMET5SS



PMET5SA



PMET5S2

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
PMET5SS	560x417x770	220-240/50,60	1500	230	240
PMET5SA	900x420x760	220-240/50,60	1800	230	120
PMET5S2	900x420x760	220-240/50,60	2900	230	120

TROLLEY FOR POPCORN MACHINE

- With integrated shelf
- Suitable for PMET5S & PMET5R
- Easy to clean



WPMET



WPMETS

Model	Product Dim (W/D/H mm)	40 HQ Container loading
WPMET/WPMETS	940x500x825	320

CHOCOLATE FOUNTAIN

- Convenient and safe to operate
- Melt chocolate directly without destroying the ingredients
- Made of high quality stainless steel
- Extra-smooth cascades for improved flow



Model	Product Dim (W/D/H mm)	Net capacity (kg)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
SBCH4	Φ330x600	5	230/50,60	Heating150+ Motor80	0~110	700
SBCH5	Φ330x700	6	230/50,60	Heating200+ Motor80	0~110	700
SBCH6	Φ370x840	8	230/50,60	Heating200+ Motor100	0~150	700
SBCH7	Φ440x1000	10	230/50,60	Heating300+ Motor100	0~150	380

HOT CHOCOLATE DISPENSER

- Adjustable temperature: 0-90°C
- 120°C temperature limited
- Stir mechanism for even mixed
- Simple design for easy operation



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
SSK10S	410x280x580	10	220-240/50	1000	0~90	478
SSK10W	410x280x580	10	220-240/50	1000	0~90	478

CHOCOLATE MELTING MACHINE

- Suitable for GN 1/4
- With lid
- Dry heating without water both on the bottom and sides to ensure a homogeneous temperature. Removable stainless steel tank
- Perfect for ice cream parlors and pastry shops
- High-quality stainless steel



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
SCSGH14	345x285x295	3.8	220-240/50	250	30~110	1260

CHIP WARMER

- Ideal for the sales room
- Digital display
- Rubber feet for secure stability
- Simple operation
- Extremely robust
- Easy to clean
- Operation control lights
- Housing made of stainless steel



Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp (°C)	40 HQ Container loading
NWJ55	350x350x520	220-240/50,60	300	0~85	336

COOKING

CHEESE WARMER

- Stainless steel construction
- Food grade plastic pump
- 6 Power levels
- On / off switch
- Easy to clean



KWFR

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
KWFR	230x388x420	4.4	230V/50	550	< 90	720

STAINLESS STEEL SAUCE DISPENSER

- Convenient to keep sauce in a certain temperature at a safe, servable liquid form.
- Hot sauces are perfect for adding value and creating intriguing flavour combinations.
- Stainless steel construction with independent simple dial control for each bottle.
- Fit 1000ml sauce bottle for each pot
- Power ON/OFF switch with non-skidding rubber feet.
- Easy to use and clean.



SSPFR2

SSPFR3

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
SSPFR2	270x220x205	2x1	230/50	400	40~90	1260
SSPFR3	400x220x205	3x1	230/50	600	40~90	840

SAUSAGE WARMER

- Made by premium stainless steel
- Digital thermostat
- Dry protection
- Simple operation



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
WWH10	270x375x265	8	230/50	1000	≤90	1400

THERMAL BRIDGE

- High-quality stainless steel.
- High-quality heating lamp, make the food keeping warm.
- Use GN pans, good quality and big volume.



WBK366-1



WBK366-2

Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
WBK366-1	400x285x560	1 pcs 1/2GN pan	220-240/50,60	290	600
WBK366-2	600x330x560	1 pcs 1/1GN Pan	220-240/50,60	600	432

FRIES WARMER



SPWJ11

- Keep foods warm at constant level
- Particularly suitable for canteens, bistros, catering services and buffets
- High degree of stability
- Temperature: 0 ~ +55 °C
- Electrical heating element
- Premium workmanship
- Modern design
- Easy to clean
- The heat of this machine can be emitted from the top and bottom together

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
SPWJ11	335 x 565 x 570	220-240/50,60	1000	672

- Safe use, even heat transmission.
- Good quality stainless steel ,delicate in appearance.
- Quartz lamp keep the chips warming.
- The lamp on the top, easy take off and clean.



BWK80

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
BWK80	800x710x650	220-240/50,60	650	60

HEAT RETAINING PLATE

- Hot plate
- Temperature range: 0 °C to 85 °C
- Keep foods warm at constant level
- Adjustable thermostat
- Operation control lights
- Ergonomic handles
- Non-slip feet
- Easy to clean
- Made from stainless steel
- Glass surface



WHPJ537



WHPWJ756

- Hot plate
- Temperature range: 0 °C to 85 °C
- With double-sided glass sneeze guard
- Sneeze guard conducts the heat of the heat lamps directly on the food
- 2 Heat lamps
- 2 Trays
- 2 Operating control lights
- On/off switch
- Two separately adjustable thermostats
- Keep foods warm at constant level
- Non-slip feet
- Easy to clean
- Made from stainless steel
- Glass surface

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
WHPJ537	565x380x75	220-240/50,60	260	85	1428
WHPWJ756	730x585x625	220-240/50,60	1070	85	138

COOKING

COOLING PLATE FOR GN PAN



- Easy to clean
- Eco-friendly
- The cooling pockets inside keep the temperature below +8 °C for at least 4 hours after storage
- Suitable for direct contact with food or GN containers
- Ideal as a substitute for ice cubes, because the food does not get wet when thawing.
- Highly resistant and durable
- Cooling plate made of high quality stainless steel

Model	Product Dim (W/D/H mm)	40 HQ Container loading
KPGNH11	530x325x45	3480
KPGNH12	325x265x45	6873
KPGNH13	325x176x45	8700

STAINLESS STEEL FOOD WARMER



- Food warmer for keeping food warm
- Heating by solid wax which is safe for using
- Modern design
- Easy to clean
- Frame made of high gloss stainless steel

Model	Product Dim (W/D/H mm)	40 HQ Container loading
SWH2B	380x175x65	7460
SWH3B	465x175x65	6525

HEAT LAMP

- Lampshade is made of stainless steel
- The perforation on the lamps' upper section prevents an overheating
- Ideal solution for professional use
- Stylish & functional. Elegant design.
- Easy to clean



Model	Product Dim (W/D/H mm)		Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
WLH290-R	dia.290	H:600-1500	220-240/50-60	550	1920
WLH290-G	dia.290	H:600-1500	220-240/50-60	550	1920
WLH290-S	dia.290	H:600-1500	220-240/50-60	550	1920
WLH290	dia.290	H:600-1500	220-240/50-60	550	1920
WLK-S	dia.228	H:814-2114	230/50	250	2464

HEATED DISPLAY CASE

- Heating display cabinet with 3 levels
- Curved front panel
- Simple operation
- On/off switch
- Operation control lights
- Adjustable thermostat
- Elegant presentation of goods
- Easy to clean
- Housing made of stainless steel



WHVJ3



WHVJ3N

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
WHVJ3 WHVJ3N	355x460x475	220-240/50,60	800	85	336

FOOD STEAM SHOWCASE



KNDJ437

- 5 floor heating
- Steamed food and display
- Temperature range 30-110°C
- The operation control lamp
- Adjustable thermostat controller
- Elegant display of merchandise
- Easy to clean and operate
- The case is made of stainless steel
- All sides made of glass

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
KNDJ437	380x410x745	220-240/50,60	900	30~110	252

PLATE WARMER

- Good quality stainless steel ,delicate in appearance.
- EGO thermostat.Intelligent temperature control of high precision.
- Good quality heater,quick temperature rising, and heating evenly.



TWK60



TWK120



TWHB40



TWHB80

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
TWK60	400x420x800	220-240/50,60	750	30~85	230
TWK120	800x420x800	220-240/50,60	1500	30~85	112
TWHB40	430x460x890	220-240/50,60	1000	30~85	275
TWHB80	430x900x890	220-240/50,60	2000	30~110	157

COOKING

CUP WARMER

- Two heating levels, One reserve shelf
- Holding capacity: ca. 80 - 120 Tassen
- Ideally suited for coffee bars and Christmas markets
- On/off switch for each heating element
- Easy to use, Easy to clean



TWJ335

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
TWJ335	360x320x550	220-240/50,60	140	75	756

FOOD DEHYDRATOR

- Body made of premium stainless steel
- Precise - controlled process by 0 - 15 h adjustable timer
- Drying process ensures longer lasting and edible products
- Digital display
- The double shell heat insulation drying efficiency is higher and faster, and the universal wheel is convenient to move (DGHB10 has no wheel, the other three models have)
- The built-in LED light is convenient to observe the drying state at any time, and the noise is ultra-low
- Suitable for all kinds of fruits, meat, vegetables, medicinal materials, pet snacks, etc



DGHB10



DGHB16



DGHB20
DGHB24

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/ Hz)	Power (W)	Shelves No.	Temp(°C)	40 HQ Container loading
DGHB10	385x345x427	30	220-240/50,60	800	10	30~90	699
DGHB16	570x465x670	85	220-240/50,60	1500	16	30~90	255
DGHB20	570x465x820	106	220-240/50,60	2000	20	30~90	150
DGHB24	570x465x820	106	220-240/50,60	2000	24	30~90	150

- Body made of premium stainless steel
- Precise - controlled operation by 0-15 h adjustable timer
- Drying process ensures longer lasting and edible products
- Digital display
- Uniform baking by rotating design, 360° heat flow cycle to improve drying effect
- Multi-stage temperature regulation to meet different product baking requirements
- Product safety and durability by stainless steel grill mesh.
- Large capacity with many layers. A variety of ingredients can be baked
- Smart touchscreen panel for easy operation



DGH16



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
DGH16	545x420x750	110	220-240/50	1800	40~90	240

BANQUET TROLLEY

- Stainless steel body
- Special design for slide-out heating unit with 3.5M power line
- Microcomputer temperature control system
- Display screen clearness and directness, and simple to operate more accurate in temperature control
- With a box of humidifier to keep the food in original state
- Put rubber anti-collision stripes for 4 corners and fix handle of both sides to provide the protection during transportation



Model	Product Dim (W/D/H mm)	Pans Qty	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
BWK1121	730x940x1860	GN 2/1-100MM 11PCS	220-240/50,60	2750	30~85	36
BWK2221	1540x940x1860	GN 2/1-100MM 22PCS	220-240/50,60	2750	30~85	12
BWK1511	555x740x1500	1/1 GN pans 15pcs	220-240/50,60	1050	30~85	60
BWK711	555x740x950	1/1 GN pans 7pcs	220-240/50,60	1050	30~85	120

TOP BAIN MARIE WITH GLASS LID



- Buffet and dining essential
- Automatic temperature control
- Operating light(s)
- Top with tempered glass (clean and hygienic)
- Separate food basin, can be filled with different food
- Easy to use
- Easy to clean
- Housing made of stainless steel

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
ABMJ4	1245x350x370	220-240/50,60	1500	30~110	420
ABMJ5	1512x350x370	220-240/50,60	1800	30~110	420

BAIN MARIE HOTPOT

- Humanized coutour design, fully displays the art of delicate life
 - Totally ensures the nutrition and primary taste of the delicacy
- Made by stainless steel, clean and convenient.



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
BHPV35-1	210x240x320	3.5	220-240/50,60	150	0~95	2112
BHPV65-1	255x286x320	6.5	220-240/50,60	150	0~95	1188
BHPV35-2	415x240x320	3.5x2	220-240/50,60	300	0~95	1344
BHPV65-2	505x285x320	6.5x2	220-240/50,60	400	0~95	792
BHPV35-3	610x240x320	3.5x3	220-240/50,60	450	0~95	672
BHPV35-4	415x445x320	3.5x4	220-240/50,60	600	0~95	528

COOKING

CHAFING DISH

- Graceful lines form the contour, pleasing both the eye and the mind
- The outer casing is made of high grade stainless steel, which is durable
- Large capacity, rapid heating, convenient in use



CDBV11



CDBGV11



CDEV11

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
CDBV11	570x360x325	13	220-240/50,60	1200	0~95	616
CDBGV11	630x360x415	13	220-240/50,60	1200	0~95	880
CDEV11	630x360x390	13	220-240/50,60	1200	0~95	880

- Perfect in workmanship with fully
- Stainless steel and easy to clean.



CDH11100E



CDH230



CDH807



CDHU11

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
CDH11100E	580x347x289	14	230/50	0.9	720
CDH230	629x360x298	14	230/50	1.6	720
CDH807	630x362x327	15.5	/	/	720
CDHU11	630x362x327	15.5	/	/	936

- Stainless steel housing
- Container for keeping food warm
- Modern design. Easy to clean



CDY111D



CDY11R



CDY11



CDY55R

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
CDY111D	580x440x260	8.5	230/50	420	648
CDY11R	645x475x435	8.5	/	/	510
CDY11	580x440x260	8.5	/	/	432
CDY55R	500x530x450	5	/	/	660

CHAFING DISH



CHDYK11
GCHDYK11



CHDYK55
GCHDYK55



CHDYK57
GCHDYK57



CHDYK14
GCHDYK14

- 3-layer steel bottom for fast and even heating
- Lid close & open automatically
- Lid is removable, easy for cleaning
- Tempered glass, food inside could be seen
- Hydraulic system on the lid, for smooth opening & closing
- Easy to repair the hinge for the hydraulic system
- Mirror polish for whole item
- Stainless steel for food pan

Model	Product Dim (W/D/H mm)	Net capacity (L)	40 HQ Container loading
CHDYK11	580x471x168	11.2	880
GCHDYK11	597x391x153	/	930
CHDYK55	404x472x172	5.5	930
GCHDYK55	391x421x153	/	1056
CHDYK57	455x535x170	5.7	930
GCHDYK57	516x446x175	/	1056
CHDYK14	435x475x265	14.3	1056
GCHDYK14	430x370x175	/	1056

- Keep warm at 90°C
- For use as an alternative to conventional fuel holder
- Only suitable for chafing dishes with a flat bottom
- Extremely suitable for chafing dishes without preparation for electrical elements



EHCDBZ13

Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
EHCDBZ13	Φ138x110	220-240/ 50,60	500	8424

SOUP WARMER

- Body made of premium stainless steel
- Removable stainless steel insert
- Lockable lids. Adjustable temperature
- Easy to clean



SWH57E



SWH57S

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
SWH57E	Φ285x352	5	220-240/50,60	300	95	1365
SWH57S	Φ285x352	5	220-240/50,60	300	95	1365

COOKING

SOUP KETTLE

- Removable stainless steel insert
- Adjustable temperature
- Lockable lids



SWSH13



SWSH10

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
SWSH13	Φ414X401	13	220-240/50	600	133	630
SWSH10	Φ341X366	9	220-240/50	400	133	1188

- Removable stainless steel insert
- Easy to clean
- Temperature infinitely adjustable
- Sealable lids
- Holding capacity: 9 Liter



SWH9S



SWH9E



SWH9R

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
SWH9S	Φ385x366	9	220-240/50	400	95	1188
SWH9E	Φ385x366	9	220-240/50	400	95	1188
SWH9R	Φ385x366	9	220-240/50	400	95	1188

- Removable stainless steel insert
- Easy to clean
- Temperature adjustable with digital control
- Sealable lids
- Holding capacity: 9 Liter



SWH9SD



SWH9ED

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
SWH9SD	φ385x366	9	220-240/50	400	95	1188
SWH9ED	φ385x366	9	220-240/50	400	95	1188

COFFEE PERCOLATOR



WKH06



WKH010



WKH015

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
WKH06	378x314x429	6	220-240/50,60	1150	85	1320
WKH010	350x344x441	10	220-240/50,60	1500	85	1080
WKH015	350x344x543	15	220-240/50,60	1500	85	1080

WATER BOILER



WKH10

WKH20

WKH30

WKH40

- Level indicator
- Integrated drip tray
- Ergonomically shaped synthetic grip
- Anti-slip handle
- Stylish design
- Fast and efficient heat distribution
- Operation control lights
- With filling tap

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Maximum temp(°C)	40 HQ Container loading
WKH10	321x314x429	8	220-240,50-60	2000	100	1320
WKH20	350x344x543	17	220-240,50-60	2500	100	864
WKH30	440x434x427	21	220-240,50-60	3000	100	540
WKH40	440x434x533	35	220-240/50	3000	100	552

COFFEE MACHINE

- Modern look of stainless steel housing
- Easy access to controls on top black panel with brewing indicator
- Warming surfaces on top and/or bottom for optimal taste
- Large capacity for continuous brewing
- Double-walled flask to maintain coffee temperature



FIKAMAV17



FKMV20D



FKMV20E

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
FIKAMAV17	215x410x460	2.3	220-240/50-60	2000	520
FKMV20D	430x410x520	4.6	220-240/50-60	3300	520
FKMV20E	215x410x520	2.3	220-240/50-60	2000	832

- Body made of premium stainless steel
- Vacuum jug with screw cap
- Drain mechanism inside the lid
- Easy to clean



IKV20P



IKV20



KAKGV17

Model	Product Dim (W/D/H mm)	Net Capacity(L)	40 HQ Container loading
IKV20P	150x150x315	2	6240
IKV20	140x140x270	2	7488
KAKGV17	165x200x170	1.7	6240

COOKING

COFFEE MACHINE

- Made of high quality stainless steel
- The coffee machine has a high brewing life of 300,000 cups and a high quality cup
- Can also achieve a one-click cup, without any coffee making experience, but also easily make a strong coffee, very simple and convenient, suitable for various scenarios



KMHB218

KMHB18

KMHB220

KMHB22

Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
KMHB218	400x415x423	1.8x4	230/50,60	2020x2	93 - 96	400
KMHB18	413x212x429	1.8x2	230/50,60	2020	93 - 96	720
KMHB220	426x201x594	2.2	230/50,60	1900	93 - 96	520
KMHB22	426x201x594	2.2	230/50,60	1900	93 - 96	520

COFFEE STATION

- Multi-function, convenient and practical
- Drinks, snacks a taste, heart enjoy
- Suitable for all vacuum jugs up to 190 mm diameter
- 5 Storage compartments for cups, spoons/stirrers, milk and sugar
- Modern design. High quality. Easy to clean



KSV1

KSV2

Model	Product Dim (W/D/H mm)	40 HQ Container loading
KSV1	435x330x145	1716
KSV2	650x330x145	1144

HOT DRINKS DISPENSER

- Made of high quality stainless steel
- Coffee urn with stainless steel legs
- Especially used for keeping beverages warm
- Particularly suitable for canteens, bistros, catering services and buffets



HGDH5

HGDH75

Model	Product Dim (W/D/H mm)	Net Capacity(L)	40 HQ Container loading
HGDH5	312x321x539	5	1260
HGDH75	269x350x518	7.5	792

WARMING PLATE

- Graceful lines form the contour, pleasing both the eye and the mind
- The outer casing is made of high grade stainless steel, which is durable
- Large capacity, rapid heating, convenient in use
- Humanized contour design, fully displays the art of delicate life



Model	Product Dim (W/D/H mm)	Voltage /Frequency (V/Hz)	Power (W)	40 HQ Container loading
WPV1	174x174x68	220-240/50,60	60	1232
WPV2	354x174x68	220-240/50,60	60x2	448
WPV2 1	180x360x250	220-240/50,60	60x2	448

GLASS ICER WITH LED LIGHTING

- Made of high quality aluminium alloy
- This glass icer brings the glasses to a temperature of up to -78.5 °C
- Sterile and hygienically perfect cooling within 7 seconds
- Works both for beverage cooling and as an impressive show object
- The latest innovation for bars and clubs with a taste for the extraordinary
- There is NO danger of burns or injuries with frozen glasses, even when drinking directly
- Suitable for all types of drinking glasses (cocktail glasses, long-drink glasses, champagne glasses, etc.)



Model	Product Dim (W/D/H mm)	Housing color	Housing Material	Battery needed for LED	CO2 Tank Connector	40 HQ Container loading
GVS410	240x130x410	Silver	Aluminium Alloy	AA x 2	CGA320	2800

SMOKER OVEN

- Perfect for smoking vegetables, meat or fish
- For hot and warm smoking
- Temperature range: 30 °C to 120 °C
- Thermometer - easily readable on the front door
- Precise - controlled operation by 0 - 12 h adjustable timer
- 9,50 cm Space between grids
- Uncomplicated - filling or refilling the wood chips via a drawer



Model	Product Dim (W/D/H mm)	Net capacity (L)	Voltage /Frequency (V/Hz)	Power (W)	Temp(°C)	40 HQ Container loading
ROHB4	640x450x910	60	220-240/50,60	1000	30~120	168
ROHB8	640x450x1300	111	220-240/50,60	1000	30~120	84